

Eyewear Protection Safety Glasses


uvex apex safety glasses

- Sporty, lightweight, fashion-forward design delivers safety, style, and lasting comfort on the work site of off-grid.
- Frameless lens design providing maximum wrap around coverage in all types of applications.
- Dual component side arms with a wire core that can be moulded around the ears & head making for a personalised fit with ongoing adjustability.
- Adjustable nose piece that can adapt to the wearers face for a comfortable, pressure free fit.
- Anti-fog and Anti-scratch lens coating technology
- Ventilated frame designed to maximise airflow, minimising fogging
- UV385 - Protection against dangerous UVA and UVB radiation up to 385nm
- Approved to AS/NZS 1337.1 - medium impact protection



Product Details	
Colour	Matte Black
Part No.	9201-001
Weight	70g
Barcode	9321123591451
Packaging - Retail Box	1
Coating	Anti-Fog / Anti-Scratch
Lens tint	Clear 80%+ VLT. Cat. 0
Markings	XIO
UV protection	UV385
Lens materials	Polycarbonate
Arm materials	Frame: TR90 Nose piece: Hard Component TR90 / Soft Component TPE Arms: Hard Component TR90 / Soft Component TPE
AS / NZ Standards	Medium Impact AS/NZS 1337.1
Application area:	Law enforcement / emergency services, Transportation, Mining, Trades, Security, Construction, Outdoors

Lens Markings	
X	Company trademark
I	Signifies medium impact approval
O	The letter 'O' signifies that the product has been approved for the use both outdoors and indoor, and the terminology aused by Austrian standards is 'outdoor un-tinted'. Thus marking appears on all clear lense.
Ocular Lens Category	
0	80% - 100% transmittance
1	43% - 80% transmittance
2	18% - 43% transmittance
3	80% - 100% transmittance
Cleaning and Storage	
The lenses of your safety glasses should be cleaned regularly. Uvex recommends using our range of cleaning sprays, tissues and towelettes. After use, please ensure the safety glasses are stored in a protective case or microfiber pouch	



UVEX SAFETY AUSTRALIA LIMITED PARTNERSHIP
Unit 3 Riverside Centre, 24-28 River Road West,
Parramatta NSW 2150, Australia
T: 1800 815 790 E: info@uvex.com.au
uvex-safety.com.au

UVEX Safety New Zealand Ltd
T +64 800 698 839 E info@uvex.co.nz
uvex.co.nz



**CLICK HERE
or SCAN**
for more information on
the uvex apex range

Eyewear Protection Safety Glasses


uvex apex safety glasses

- Sporty, lightweight, fashion-forward design delivers safety, style, and lasting comfort on the work site of off-grid.
- Frameless lens design providing maximum wrap around coverage in all types of applications.
- Dual component side arms with a wire core that can be moulded around the ears & head making for a personalised fit with ongoing adjustability.
- Adjustable nose piece that can adapt to the wearers face for a comfortable, pressure free fit.
- Anti-fog and Anti-scratch lens coating technology
- Ventilated frame designed to maximise airflow, minimising fogging
- UV385 - Protection against dangerous UVA and UVB radiation up to 385nm
- Approved to AS/NZS 1337.1 - medium impact protection



Product Details	
Colour	Matte Black
Part No.	9201-002
Weight	70g
Barcode	9321123784310
Packaging - Retail Box	1
Coating	Anti-Fog / Anti-Scratch
Lens tint	Grey 12% VLT. Cat. 3
Markings	XI3
UV protection	UV385
Lens materials	Polycarbonate
Arm materials	Frame: TR90 Nose piece: Hard Component TR90 / Soft Component TPE Arms: Hard Component TR90 / Soft Component TPE
AS / NZ Standards	Medium Impact AS/NZS 1337.1
Application area:	Law enforcement / emergency services, Transportation, Mining, Trades, Security, Construction, Outdoors

Lens Markings	
X	Company trademark
I	Signifies medium impact approval
O	The letter 'O' signifies that the product has been approved for the use both outdoors and indoor, and the terminology aused by Austrian standards is 'outdoor un-tinted'. Thus marking appears on all clear lense.
Ocular Lens Category	
0	80% - 100% transmittance
1	43% - 80% transmittance
2	18% - 43% transmittance
3	80% - 100% transmittance
Cleaning and Storage	
The lenses of your safety glasses should be cleaned regularly. Uvex recommends using our range of cleaning sprays, tissues and towelettes. After use, please ensure the safety glasses are stored in a protective case or microfiber pouch	



UVEX SAFETY AUSTRALIA LIMITED PARTNERSHIP
Unit 3 Riverside Centre, 24-28 River Road West,
Parramatta NSW 2150, Australia
T: 1800 815 790 E: info@uvex.com.au
uvex-safety.com.au

UVEX Safety New Zealand Ltd
T +64 800 698 839 E info@uvex.co.nz
uvex.co.nz



Eyewear Protection Safety Glasses


uvex apex safety glasses

- Sporty, lightweight, fashion-forward design delivers safety, style, and lasting comfort on the work site of off-grid.
- Frameless lens design providing maximum wrap around coverage in all types of applications.
- Dual component side arms with a wire core that can be moulded around the ears & head making for a personalised fit with ongoing adjustability.
- Adjustable nose piece that can adapt to the wearers face for a comfortable, pressure free fit.
- Protection from glare - minimising eye strain and fatigue
- Anti-fog and Anti-scratch lens coating technology
- Ventilated frame designed to maximise airflow, minimising fogging
- UV385 - Protection against dangerous UVA and UVB radiation up to 385nm
- Approved to AS/NZS 1337.1 - medium impact protection



Product Details	
Colour	Matte Black
Part No.	9201-003
Weight	70g
Barcode	9321123464670
Packaging - Retail Box	1
Coating	Anti-Fog
Lens tint	Blue REVO Mirror 12% VLT. Cat. 3
Markings	XI3
UV protection	UV385
Lens materials	Polycarbonate
Arm materials	Frame: TR90 Nose piece: Hard Component TR90 / Soft Component TPE Arms: Hard Component TR90 / Soft Component TPE
AS / NZ Standards	Medium Impact AS/NZS 1337.1
Application area:	Law enforcement / emergency services, Transportation, Mining, Trades, Security, Construction, Outdoor work in high glare environments

Lens Markings	
X	Company trademark
I	Signifies medium impact approval
O	The letter 'O' signifies that the product has been approved for the use both outdoors and indoor, and the terminology aused by Austrian standards is 'outdoor un-tinted'. Thus marking appears on all clear lense.
Ocular Lens Category	
0	80% - 100% transmittance
1	43% - 80% transmittance
2	18% - 43% transmittance
3	80% - 100% transmittance
Cleaning and Storage	
The lenses of your safety glasses should be cleaned regularly. Uvex recommends using our range of cleaning sprays, tissues and towelettes. After use, please ensure the safety glasses are stored in a protective case or microfiber pouch	



UVEX SAFETY AUSTRALIA LIMITED PARTNERSHIP
Unit 3 Riverside Centre, 24-28 River Road West,
Parramatta NSW 2150, Australia
T: 1800 815 790 E: info@uvex.com.au
uvex-safety.com.au

UVEX Safety New Zealand Ltd
T +64 800 698 839 E info@uvex.co.nz
uvex.co.nz



**CLICK HERE
or SCAN**
for more information on
the uvex apex range

Eyewear Protection Safety Glasses


uvex apex safety glasses

- Sporty, lightweight, fashion-forward design delivers safety, style, and lasting comfort on the work site of off-grid.
- Frameless lens design providing maximum wrap around coverage in all types of applications.
- Dual component side arms with a wire core that can be moulded around the ears & head making for a personalised fit with ongoing adjustability.
- Adjustable nose piece that can adapt to the wearers face for a comfortable, pressure free fit.
- Protection from glare - minimising eye strain and fatigue
- Anti-fog and Anti-scratch lens coating technology
- Ventilated frame designed to maximise airflow, minimising fogging
- UV385 - Protection against dangerous UVA and UVB radiation up to 385nm
- Approved to AS/NZS 1337.1 - medium impact protection



Product Details	
Colour	Matte Black
Part No.	9201-004
Weight	70g
Barcode	9321123855485
Packaging - Retail Box	1
Coating	Anti-Fog / Anti-Scratch
Lens tint	Grey 12% VLT. Polarised Cat. 3
Markings	XPI3
UV protection	UV385
Lens materials	Polycarbonate
Arm materials	Frame: TR90 Nose piece: Hard Component TR90 / Soft Component TPE Arms: Hard Component TR90 / Soft Component TPE
AS / NZ Standards	Medium Impact AS/NZS 1337.1
Application area:	Law enforcement / emergency services Transportation, Mining, Trades, Security, Construction, Outdoor work in high glare environments

Lens Markings	
X	Company trademark
I	Signifies medium impact approval
O	The letter 'O' signifies that the product has been approved for the use both outdoors and indoor, and the terminology aused by Austrlian standards is 'outdoor un-tinted'. Thus marking appears on all clear lense.
Ocular Lens Category	
0	80% - 100% transmittance
1	43% - 80% transmittance
2	18% - 43% transmittance
3	80% - 100% transmittance
Cleaning and Storage	
The lenses of your safety glasses should be cleaned regularly. Uvex recommends using our range of cleaning sprays, tissues and towelettes. After use, please ensure the safety glasses are stored in a protective case or microfiber pouch	



UVEX SAFETY AUSTRALIA LIMITED PARTNERSHIP
Unit 3 Riverside Centre, 24-28 River Road West,
Parramatta NSW 2150, Australia
T: 1800 815 790 E: info@uvex.com.au
uvex-safety.com.au

UVEX Safety New Zealand Ltd
T +64 800 698 839 E info@uvex.co.nz
uvex.co.nz



CLICK HERE
or SCAN
for more infomration on
the uvex apex range

Eyewear Protection Safety Glasses


uvex apex safety glasses

- Sporty, lightweight, fashion-forward design delivers safety, style, and lasting comfort on the work site of off-grid.
- Frameless lens design providing maximum wrap around coverage in all types of applications.
- Dual component side arms with a wire core that can be moulded around the ears & head making for a personalised fit with ongoing adjustability.
- Adjustable nose piece that can adapt to the wearers face for a comfortable, pressure free fit.
- Anti-fog and Anti-scratch lens coating technology
- Ventilated frame designed to maximise airflow, minimising fogging
- UV385 - Protection against dangerous UVA and UVB radiation up to 385nm
- Approved to AS/NZS 1337.1 - medium impact protection



Product Details	
Colour	Army Green
Part No.	9201-005
Weight	70g
Barcode	9321123947425
Packaging - Retail Box	1
Coating	Anti-Fog / Anti-Scratch
Lens tint	Brown 12% VLT. Cat. 3
Markings	XI3
UV protection	UV385
Lens materials	Polycarbonate
Arm materials	Frame: TR90 Nose piece: Hard Component TR90 / Soft Component TPE Arms: Hard Component TR90 / Soft Component TPE
AS / NZ Standards	Medium Impact AS/NZS 1337.1
Application area:	Law enforcement / emergency services, Transportation, Mining, Trades, Security, Construction, Outdoor work in high glare environments

Lens Markings	
X	Company trademark
I	Signifies medium impact approval
O	The letter 'O' signifies that the product has been approved for the use both outdoors and indoor, and the terminology aused by Austrian standards is 'outdoor un-tinted'. Thus marking appears on all clear lense.
Ocular Lens Category	
0	80% - 100% transmittance
1	43% - 80% transmittance
2	18% - 43% transmittance
3	80% - 100% transmittance
Cleaning and Storage	
The lenses of your safety glasses should be cleaned regularly. Uvex recommends using our range of cleaning sprays, tissues and towelettes. After use, please ensure the safety glasses are stored in a protective case or microfiber pouch	



UVEX SAFETY AUSTRALIA LIMITED PARTNERSHIP
Unit 3 Riverside Centre, 24-28 River Road West,
Parramatta NSW 2150, Australia
T: 1800 815 790 E: info@uvex.com.au
uvex-safety.com.au

UVEX Safety New Zealand Ltd
T +64 800 698 839 E info@uvex.co.nz
uvex.co.nz



Eyewear Protection Safety Glasses


uvex apex safety glasses

- Sporty, lightweight, fashion-forward design delivers safety, style, and lasting comfort on the work site of off-grid.
- Frameless lens design providing maximum wrap around coverage in all types of applications.
- Dual component side arms with a wire core that can be moulded around the ears & head making for a personalised fit with ongoing adjustability.
- Adjustable nose piece that can adapt to the wearers face for a comfortable, pressure free fit.
- Protection from glare - minimising eye strain and fatigue
- Anti-fog and Anti-scratch lens coating technology
- Ventilated frame designed to maximise airflow, minimising fogging
- UV385 - Protection against dangerous UVA and UVB radiation up to 385nm
- Approved to AS/NZS 1337.1 - medium impact protection



Product Details	
Colour	Hi-Vis Yellow
Part No.	9201-006
Weight	70g
Barcode	9321123605721
Packaging - Retail Box	1
Coating	Anti-Fog
Lens tint	Purple REVO Mirror 12% VLT. Cat. 3
Markings	X13
UV protection	UV385
Lens materials	Polycarbonate
Arm materials	Frame: TR90 Nose piece: Hard Component TR90 / Soft Component TPE Arms: Hard Component TR90 / Soft Component TPE
AS / NZ Standards	Medium Impact AS/NZS 1337.1
Application area:	Law enforcement / emergency services, Transportation, Mining, Trades, Security, Construction, Outdoor work in high glare environments

Lens Markings	
X	Company trademark
I	Signifies medium impact approval
O	The letter 'O' signifies that the product has been approved for the use both outdoors and indoor, and the terminology aused by Austrian standards is 'outdoor un-tinted'. Thus marking appears on all clear lense.
Ocular Lens Category	
0	80% - 100% transmittance
1	43% - 80% transmittance
2	18% - 43% transmittance
3	80% - 100% transmittance
Cleaning and Storage	
The lenses of your safety glasses should be cleaned regularly. Uvex recommends using our range of cleaning sprays, tissues and towelettes. After use, please ensure the safety glasses are stored in a protective case or microfiber pouch	



UVEX SAFETY AUSTRALIA LIMITED PARTNERSHIP
Unit 3 Riverside Centre, 24-28 River Road West,
Parramatta NSW 2150, Australia
T: 1800 815 790 E: info@uvex.com.au
uvex-safety.com.au

UVEX Safety New Zealand Ltd
T +64 800 698 839 E info@uvex.co.nz
uvex.co.nz



**CLICK HERE
or SCAN**
for more information on
the uvex apex range

Eyewear Protection Safety Glasses


uvex apex safety glasses

- Sporty, lightweight, fashion-forward design delivers safety, style, and lasting comfort on the work site of off-grid.
- Frameless lens design providing maximum wrap around coverage in all types of applications.
- Dual component side arms with a wire core that can be moulded around the ears & head making for a personalised fit with ongoing adjustability.
- Adjustable nose piece that can adapt to the wearers face for a comfortable, pressure free fit.
- Protection from glare - minimising eye strain and fatigue
- Anti-fog and Anti-scratch lens coating technology
- Ventilated frame designed to maximise airflow, minimising fogging
- UV385 - Protection against dangerous UVA and UVB radiation up to 385nm
- Approved to AS/NZS 1337.1 - medium impact protection



Product Details	
Colour	Matte Black Paint Splatter
Part No.	9201-007
Weight	70g
Barcode	9321123706817
Packaging - Retail Box	1
Coating	Anti-Fog
Lens tint	Red REVO Mirror 12% VLT. Cat. 3
Markings	XI3
UV protection	UV385
Lens materials	Polycarbonate
Arm materials	Frame: TR90 Nose piece: Hard Component TR90 / Soft Component TPE Arms: Hard Component TR90 / Soft Component TPE
AS / NZ Standards	Medium Impact AS/NZS 1337.1
Application area:	Law enforcement / emergency services, Transportation, Mining, Trades, Security, Construction, Outdoor work in high glare environments

Lens Markings	
X	Company trademark
I	Signifies medium impact approval
O	The letter 'O' signifies that the product has been approved for the use both outdoors and indoor, and the terminology aused by Austrlian standards is 'outdoor un-tinted'. Thus marking appears on all clear lense.
Ocular Lens Category	
0	80% - 100% transmittance
1	43% - 80% transmittance
2	18% - 43% transmittance
3	80% - 100% transmittance
Cleaning and Storage	
The lenses of your safety glasses should be cleaned regularly. Uvex recommends using our range of cleaning sprays, tissues and towelettes. After use, please ensure the safety glasses are stored in a protective case or microfiber pouch	



UVEX SAFETY AUSTRALIA LIMITED PARTNERSHIP
Unit 3 Riverside Centre, 24-28 River Road West,
Parramatta NSW 2150, Australia
T: 1800 815 790 E: info@uvex.com.au
uvex-safety.com.au

UVEX Safety New Zealand Ltd
T +64 800 698 839 E info@uvex.co.nz
uvex.co.nz



CLICK HERE
or SCAN
for more infomration on
the uvex apex range

Eyewear Protection Safety Glasses


uvex apex safety glasses

- Sporty, lightweight, fashion-forward design delivers safety, style, and lasting comfort on the work site of off-grid.
- Frameless lens design providing maximum wrap around coverage in all types of applications.
- Dual component side arms with a wire core that can be moulded around the ears & head making for a personalised fit with ongoing adjustability.
- Adjustable nose piece that can adapt to the wearers face for a comfortable, pressure free fit.
- Protection from glare - minimising eye strain and fatigue
- Anti-fog and Anti-scratch lens coating technology
- Ventilated frame designed to maximise airflow, minimising fogging
- UV385 - Protection against dangerous UVA and UVB radiation up to 385nm
- Approved to AS/NZS 1337:1 - medium impact protection



Product Details	
Colour	Matte Black Paint Splatter
Part No.	9201-008
Weight	70g
Barcode	9321123091326
Packaging - Retail Box	1
Coating	Anti-Fog
Lens tint	Red REVO Mirror 12% VLT. Cat. 3
Markings	XI3
UV protection	UV385
Lens materials	Polycarbonate
Arm materials	Frame: TR90 Nose piece: Hard Component TR90 / Soft Component TPE Arms: Hard Component TR90 / Soft Component TPE
AS / NZ Standards	Medium Impact AS/NZS 1337:1
Application area:	Law enforcement / emergency services, Transportation, Mining, Trades, Security, Construction, Outdoor work in high glare environments

Lens Markings	
X	Company trademark
I	Signifies medium impact approval
O	The letter 'O' signifies that the product has been approved for the use both outdoors and indoor, and the terminology aused by Austrian standards is 'outdoor un-tinted'. Thus marking appears on all clear lense.
Ocular Lens Category	
0	80% - 100% transmittance
1	43% - 80% transmittance
2	18% - 43% transmittance
3	80% - 100% transmittance
Cleaning and Storage	
The lenses of your safety glasses should be cleaned regularly. Uvex recommends using our range of cleaning sprays, tissues and towelettes. After use, please ensure the safety glasses are stored in a protective case or microfiber pouch	



UVEX SAFETY AUSTRALIA LIMITED PARTNERSHIP

Unit 3 Riverside Centre, 24-28 River Road West,
Parramatta NSW 2150, Australia
T: 1800 815 790 E: info@uvex.com.au
uvex-safety.com.au

UVEX Safety New Zealand Ltd

T +64 800 698 839 E info@uvex.co.nz
uvex.co.nz



**CLICK HERE
or SCAN**
for more information on
the uvex apex range