



# WORKWEAR & PPE CATALOGUE

VOLUME 1



BOOMERANG

# ABOUT COLE WORKWEAR

The Boomerang® range of workwear is proudly designed and manufactured for Cole Workwear Pty Ltd - a Noongar owned and operated West Australian company.

The Supply Nation certified business was founded by Perth businessman and Noongar community leader, Gordon Cole and has grown to be one of the largest Indigenous safety wholesalers in Australia.

Now headed by Gordon's daughter Chyan Cole and Michael Cima, the business is leading the way in creating real jobs for indigenous employees and are committed to giving back to local Indigenous communities.



**COLE WORKWEAR**

CAPABILITY • VALUE • QUALITY



**IN 2016** the business took out the Supplier to Supplier Partnership of the Year award at the annual Supplier Diversity Awards.



GORDON COLE WITH CEO CHYAN COLE



GENERAL MANAGER, MICHAEL CIMA


## ABOUT OUR BRAND BOOMERANG

Supporting the customer is a paramount objective and to that end Cole Workwear has established the Boomerang® range, designed in Australia, for Australians, to bring quality back into your workwear.

The brand is synonymous with high quality fabrics and fashionable cuts, supreme comfort and safety as well as innovative features and benefits.

The distinctive and unique Boomerang® logo, featuring four 'kylees'\* owes its origins to Gordon's four children and represents the significant link to the Noongar people and the land. The swirls within each Boomerang also illustrate our nation's waterways which hold real significance to all First Nation peoples.

The 'kylees' or boomerangs within the brand also represent diversity and ingenuity, something the Boomerang brand always aspires to deliver.




## BOOMERANG



**\*IN NOONGAR LANGUAGE**, a 'Kylee' is a flat curved piece of wood similar in appearance to a boomerang that is thrown when hunting for birds and animals.

The kylee, is an ancient yet scientifically advanced hunting multi-tool which is extremely effective, durable and strong – all qualities our Boomerang range intrinsically feature.



# SAFETY WEAR RANGE

## IN HOT ENVIRONMENTS

choosing the right garment is important for all employees to keep them safe and as comfortable as possible on the job. Our horizontal vented Ripstop shirts are made from premium cotton for added comfort and breathability.

**UNDERARM VENTING  
FOR BREATHABILITY AND  
COOLING**

**ADJUSTABLE BUTTON CUFF  
WITH BOOMERANG FEATURE**

**3M REFLECTIVE TAPE**





**COTTON BACKED FABRIC KEEPS  
YOUR BODY COOL AND DRY**



**3M REFLECTIVE TAPE**

**BOOMERANG SHAPED  
ARM PANELS**

**STRETCH COTTON,  
POLYESTER AND ELASTANE  
FOR EASE OF MOVEMENT**

**CARGO POCKETS WITH  
UTILITY PARTITIONS**

**3M REFLECTIVE TAPE**

## BOOMERANG SAFETY WEAR RANGE



### MENS LIGHT WEIGHT VENTED SHIRT

CW9186497 | SIZES S - 5XL  
145GSM 100% COTTON RIPSTOP

#### FEATURES

NEW PRODUCT AVAILABLE 3RD QUARTER 2019

- Light weight and breathable
- Double hoop tape configuration and single hoop at sleeves
- 50mm 3M Reflective Tape
- Horizontal back and underarm venting
- Left hand side pocket with pen partition

### WOMENS LIGHT WEIGHT VENTED SHIRT

CWL918697 | SIZES 6 - 22  
145GSM 100% COTTON RIPSTOP

#### FEATURES

NEW PRODUCT AVAILABLE 3RD QUARTER 2019

- Light weight and breathable
- Double hoop tape configuration and single hoop at sleeves
- 50mm 3M Reflective Tape
- Horizontal back and underarm venting
- Left hand side pocket with pen partition



**3M** Scotchlite<sup>®</sup>  
Reflective Material



CLASS D/N  
DAY OR NIGHT USE



SUN  
PROTECTION



STATIC  
CONTROL

## MENS LIGHT WEIGHT X BACK VENTED SHIRT

CW0938497 | SIZES XS - 5XL  
145GSM 100% COTTON RIPSTOP

### FEATURES

NEW PRODUCT AVAILABLE 3RD QUARTER 2019

- H front and X back tape configuration with single hoop at sleeves
- 50mm 3M Reflective Tape
- Horizontal back and underarm venting
- Left hand side pocket with pen partition





**3M Scotchlite**  
Reflective Material



CLASS DIN  
DAY OR NIGHT USE



SUN  
PROTECTION



## MENS COTTON BACKED POLO

CW9186485 | SIZES XS - 5XL

180GSM 55% COTTON, 45% POLYESTER

### FEATURES

NEW PRODUCT AVAILABLE 3RD QUARTER 2019

- Striped knitted collar
- 50mm 3M Reflective Tape
- Right hand side chest pockets with pen partition
- Side seam split at base for added comfort



## BOOMERANG SAFETY WEAR RANGE



3M Scotchlite®  
Reflective Material



3M Scotchlite®  
Reflective Material



### MENS HEAVY WEIGHT BIO MOTION CARGO DRILL PANT

CW0008315 | SIZES 82R - 112R  
310GSM 100% COTTON DRILL

#### FEATURES

NEW PRODUCT AVAILABLE 3RD QUARTER 2019

- Bio motion tape configuration (50mm) to improve recognition of human shape at distance
- Made from durable hard wearing cotton drill
- Left hand side cargo pocket with additional tool entry at touch tape
- Twin needle stitching on side seams and inleg

### UNISEX COTTON/POLYESTER CARGO PANT

CW0008314 | SIZES 67R - 112R  
247GSM 55% COTTON, 42% POLYESTER, 3% ELASTANE

#### FEATURES

NEW PRODUCT AVAILABLE 3RD QUARTER 2019

- Right cargo pocket with additional utility pockets
- Single hoop 50mm 3M Reflective Tape
- Angled front side pockets
- Twin cargo patch pockets with multi utility partitions and mitred corners

# BOOMERANG FLAME RESISTANT (FR) WORKWEAR

keeps you protected from the risk of exposure to Fire or Arc Flash. It is self-extinguishing when exposed to flame, dramatically reducing the severity of burn injuries. All of our FR range (apart from our FR jeans, which are chemically FR treated) is made from technologically advanced Quantum Guard® fabric.

## THE QUANTUM GUARD® FABRIC RANGE OFFERS

Inbuilt (inherent) protection from burns, heat stress, and heat stroke caused by flash fires and electric arcs. Made from a blend of Lenzing™ FR fibres Quantum Guard® fabric also delivers superior comfort and durability for extended wear and safety.

## ABOUT LENZING™ FR FIBRE BLENDS

LENZING™ FR is a sustainably produced inherently flame-resistant cellulosic fiber based on the renowned Modal Technology. LENZING™ FR fibers meet the definition of “inherently flame retardant and resistant fibres” as specified by the European Man-made Fibers Association (CIRFS).

LENZING™ FR is commonly blended with other high performance fibres to produce unique protective solutions for a variety of industrial applications. LENZING™ FR fibres typically contribute both protective qualities and enhanced comfort to these fabric blends. By enhancing the breathability of the fabric, they offer a significant reduction of heat stress, a major concern especially in hot climates.

## LENZING™ FR FIBRES OFFER PROTECTION FROM



Fire



Radiant Heat



Electric Arcs



# FLAME RESISTANT (FR) FABRIC GUIDE


Traditional flame resistant (FR) workwear has been hot and heavy to wear, an issue for many Australian workers. Quantum Guard® fabric not only self-extinguishes flame but also helps to reduce heat stress.

- Inherently flame-resistant (FR) fabric - the protection will never wash out or wear away
- Provides moisture wicking that moves sweat away from the skin
- All Quantum Guard® garments are soft and ready-to-wear

✓ Our Boomerang® FR range provides PPE Category 1 or 2 protection and the soft and comfortable twill and ripstop fabric within our garments ranges from 160gsm to 250GSM.



HAZARD / RISK CATEGORY	REQUIRED MIN. ARC RATING OF PPE CAL/CM <sup>2</sup>
1 PPE	4
2 PPE	8
3 PPE	25
4 PPE	40



 NAVY  
**250GSM**  
Twill



 ORANGE / YELLOW  
**215GSM**  
Twill



 NAVY  
**185GSM**  
Twill



 YELLOW / ORANGE / NAVY  
**160GSM**  
Ripstop

# FR SHIRT RANGE



**OUR NEW LIGHT WEIGHT FLAME RESISTANT (FR) SHIRTS** provide superior protection from burns, heat stress and heat stroke - enabling you to stay protected and cool all year round. With Quantum Guard® inherent fabric you have peace of mind that your workers are safer.

**3 PIECE EXTENDED COLLAR FOR EXTRA PROTECTION**

**BOOMERANG SHAPED FLAP WITH INTERNAL BUILT IN WELT POCKET**

**LOXY FR REFLECTIVE TAPE**

# FR PANT RANGE



## HIGH PERFORMANCE FABRICS

keep you protected in hot environments. Our range of flame resistant trousers are made from naturally blended Quantum Guard® fabric, providing inbuilt protection from flash fires and electric arcs, while also offering a comfortable fit.

**CURVED WAISTBAND FOR  
EXTRA COMFORT**

**BOOMERANG SHAPED FLAP  
WITH INTERNAL WELT POCKET**

**LOXY FR REFLECTIVE TAPE**

**INHERENT FR FABRIC**



## BOOMERANG PPE1 FR SHIRT RANGE



Lenzing FR



CLASS D/N  
DAY OR NIGHT USE



SUN  
PROTECTION



EXTRA  
SMALL SIZING  
TO CATER FOR  
WOMEN



Lenzing FR



CLASS D/N  
DAY OR NIGHT USE



SUN  
PROTECTION

### MENS LIGHT WEIGHT FR VENTED SHIRT

CW918640F | SIZES S - 6XL

160GSM LENZING FR / ARAMID / ANTI-STATIC RIPSTOP

#### FEATURES

**FR PPE 1**  
ATPV 4-7

- Inherent light weight FR fabric
- Gusset sleeve and concealed stud closure to meet NENS Guidelines
- Double hoop tape configuration and single hoop at sleeves
- 50mm FR Reflective Tape
- Horizontal back venting and underarm mesh vents
- 3 piece extended collar

### UNISEX LIGHT WEIGHT FR X BACK VENTED SHIRT

CW093840F | SIZES 2XS - 6XL

160GSM LENZING FR / ARAMID / ANTI-STATIC RIPSTOP

#### FEATURES

**FR PPE 1**  
ATPV 4-7

- Inherent light weight FR fabric
- Gusset sleeve and concealed stud closure to meet NENS Guidelines
- H and X back tape configuration and single hoop at sleeves
- 50mm FR Reflective Tape
- Horizontal back venting and underarm mesh vents
- 3 piece extended collar



\*LN BY SPECIAL ORDER ONLY

## WOMENS LIGHT WEIGHT FR VENTED SHIRT

CWL91860F | SIZES 6 - 22

160GSM LENZING FR / ARAMID / ANTI-STATIC RIPSTOP

### FEATURES

**FR PPE 1**  
ATPV 4-7

- Inherent light weight FR fabric
- Gusset sleeve and concealed stud closure to meet NENS Guidelines
- Double hoop tape configuration and single hoop at sleeves
- 50mm FR Reflective Tape
- Horizontal back venting and underarm mesh vents
- 3 piece extended collar


\* Special Order only with minimum order requirements. Please contact your local Bunzl Safety representative for further details.





## THESE GARMENTS OFFER PPE2 PROTECTION

ATPV range 8-25. The Boomerang® shirt range is anti-static and suitable for the following industries; oil and gas, mining, and utilities. Provides Arc Flash protection for electricians and engineers.



CLASS B/D/N  
DAY OR NIGHT USE



SUN  
PROTECTION

## MENS FR VENTED SHIRT

CW918641F | SIZES S - 6XL

185GSM-NAVY, 215GSM-ORANGE

LENZING FR / ARAMID / ANTI-STATIC TWILL

### FEATURES

**FR PPE 2**  
ATPV 8-25

- Inherent FR fabric
- Gusset sleeve and concealed stud closure to meet NENS Guidelines
- 2Tone body and sleeve lower panels
- 50mm FR Reflective Tape
- Horizontal back venting and underarm mesh vents



## BOOMERANG PPE2 FR SHIRT RANGE



Lenzing FR<sup>®</sup>

LOXY<sup>®</sup>



CLASS D/N  
DAY OR NIGHT USE



SUN  
PROTECTION



Lenzing FR<sup>®</sup>

LOXY<sup>®</sup>



CLASS D/N  
DAY OR NIGHT USE



SUN  
PROTECTION

### UNISEX FR X BACK VENTED SHIRT

CW093842F | SIZES 2XS - 6XL

215GSM LENZING FR / ARAMID / ANTI-STATIC TWILL

### WOMENS FR VENTED SHIRT

CWL91864F | SIZES 6 - 22

185GSM-NAVY, 215GSM-ORANGE

LENZING FR / ARAMID / ANTI-STATIC TWILL

#### FEATURES

**FR PPE 2**  
ATPV 8-25

- Inherent FR fabric
- Gusset sleeve and concealed stud closure to meet NENS Guidelines
- H and X back tape configuration and single hoop at sleeves
- 50mm FR Reflective Tape
- Horizontal back venting and underarm mesh vents
- Extra small sizing to cater for women

#### FEATURES

**FR PPE 2**  
ATPV 8-25

- Inherent FR fabric
- 2Tone body and sleeve lower panels
- Gusset sleeve and concealed stud closure to meet NENS Guidelines
- 50mm FR Reflective Tape
- Horizontal back venting and underarm mesh vents

## BOOMERANG PPE2 FR PANT RANGE



### MENS FR TAPED UTILITY PANT

CW008330F | SIZES 82R - 112R  
255GSM LENZING FR / ARAMID / ANTI-STATIC TWILL

#### FEATURES

**FR PPE 2**  
ATPV 8-25

- Inherent FR fabric
- Single hoop FR Reflective Tape - 50mm at legs
- Side elastic panel at waistband
- Knee darts



### MENS FR TAPED CARGO PANT

CW008331F | SIZES 82R - 112R  
255GSM LENZING FR / ARAMID / ANTI-STATIC TWILL

#### FEATURES

**FR PPE 2**  
ATPV 8-25

- Inherent FR fabric
- Single hoop FR Reflective Tape - 50mm at legs
- Twin cargo patch angled pockets and flaps and touch tape closure
- Left hand side cargo pocket with additional tool entry
- Knee darts





MRC III  
C6-150

UNIT  
CCI

**▲ DANGER**  
IMMEDIATE HAZARD  
DO NOT OPERATE  
UNLESS YOU ARE  
PROPERLY TRAINED  
AND CERTIFIED  
OPERATOR.  
SEE OPERATOR'S  
MANUAL FOR  
SAFETY INFORMATION.  
© 2018 Caterpillar Inc.

**▲**  
DANGER  
DO NOT  
STEP ON  
THIS SIGN  
& MACHINERY

## BOOMERANG PPE2 FR PANT RANGE



### WOMENS FR TAPED UTILITY PANT

CWL08332F | SIZES 6 - 22

255GSM LENZING FR / ARAMID / ANTI-STATIC TWILL

#### FEATURES

**FR PPE 2**  
ATPV 8-25

- Inherent FR fabric
- Ladies curved waistband with peak extension button closure
- Single hoop FR Reflective Tape - 50mm at legs
- Side elastic panels at waistband
- Front side entry pockets and right side pocket with flap

### MENS FR JEANS

CW008333F | SIZES 77R - 112R

12oz 340GSM 100% COTTON DENIM FR TREATED

#### FEATURES

**FR PPE 2**  
ATPV 8-25

- Straight waistband with button closure
- Modern straight leg cut
- Knee darts
- Built in flat, reinforced welt pocket

# FR COVERALL RANGE

**COMPLETE WITH ADDITIONAL VENTS,** these garments keep you cool and are highly suited to the oil and gas industry.



CLASS D/N  
DAY OR NIGHT USE



SUN  
PROTECTION



CLASS D/N  
DAY OR NIGHT USE



SUN  
PROTECTION

## MENS FR TAPED VENTED COVERALLS

CW091811F | SIZES 82R - 112R

215GSM LENZING FR / ARAMID / ANTI-STATIC TWILL

### FEATURES

**FR PPE 2**  
ATPV 8-25

- Inherent FR fabric
- Hi vis FR vented coverall
- Double hoop tape configuration at body and sleeves
- 50mm FR Reflective Tape
- Horizontal back venting and underarm mesh vents
- Gusset sleeve and concealed stud closure to meet NENS Guidelines

## MENS FR TAPED VENTED COVERALLS

CW918610F | SIZES 82R - 112R

185GSM-NAVY, 215GSM-ORANGE

LENZING FR / ARAMID / ANTI-STATIC TWILL

### FEATURES

**FR PPE 2**  
ATPV 8-25

- Inherent FR fabric
- 2Tone body and sleeve lower panels
- Double hoop tape configuration at body and sleeves
- 50mm FR Reflective Tape
- Horizontal back venting and underarm mesh vents
- Gusset sleeve and concealed stud closure to meet NENS Guidelines



# BOOMERANG ACCESSORIES



## MENS BAMBOO SOCKS

CWBAMSOCK | SIZES 6-10, 11-14

78% BAMBOO, 20% NYLON, 2% ELASTANE

An eco-friendly cotton alternative that is both comfortable and soft on your feet. The high bamboo content ensures these socks are both antibacterial and extremely absorbent.

### FEATURES

- Natural breathable bamboo fibre
- Additional blend of nylon and elastane for hard-wearing and flexibility
- Naturally anti-bacterial to help combat odour
- Soft and comfortable for all-day wear



EN 388



4543

Cat. II



## BOORNINY CUT 5 GLOVE

NB0ORN201BB | SIZES S - 2XL

Combining the dexterity, breathability and flexibility of a seamless glove with superior cut 5 protection.

**APPLICATIONS:** Injection moulding operations, automotive assembly, glass and ceramics handling, construction, mining.

### FEATURES

- Cut level 5 protection
- Puncture level 3 protection
- Seamless 13 gauge shell for enhanced dexterity
- Micro foam nitrile coat for superior wet and oily grip
- Air capillaries provide enhanced padding and vibration





EN 388



2111

Cat. II



## MOORDITJ MAAR MECHANICS GLOVE

NM00RD202BB | SIZES S - 2XL

An all-purpose mechanics glove with a premium grain leather palm for comfort and flexibility.

**APPLICATIONS:** Automotive, shipping, power tools, construction, carpentry, mining, gardening and landscaping.

### FEATURES


- Premium 0.8mm breathable synthetic leather palm
- Neoprene padded palm for vibration reduction and comfort
- Perforated forchettes for increased coolness and air flow
- Four way stretch spandex for full movement
- Grip tab closure for increased comfort and improved fit



# MEASURING AND FIT SIZE GUIDE

**FOR A COMFORTABLE FIT**  
IT IS IMPORTANT TO MEASURE CORRECTLY

**WHEN MEASURING MAKE SURE THE TAPE**  
MEASURE IS LEVEL AND NOT TIGHT



THIS GUIDE FOLLOWS THE AUSTRALIAN **BODY SIZING MEASUREMENTS** RECOMMENDATION.

**THESE ARE NOT GARMENT MEASUREMENTS**  
(WITH THE EXCEPTION TO FIT WAIST FOR SHORT/PANTS)

## SHORTS, PANTS, COVERALL AND OVERALLS

REGULAR SIZES	72R	77R	82R	87R	92R	97R	102R	107R	112R		
IMPERIAL SIZE	2	3	4	5	6	7	8	9	10		
TO FIT WAIST (cm)	72	77	82	87	92	97	102	107	112		
TO FIT WAIST (inches)	28	30	32	34	36	38	40	42	44		
TO FIT CHEST (cm)	82	87	92	97	102	107	112	117	122		
TO FIT INLEG (cm)	71	74	77	79	82	83	84	87	87		

## SHIRTS, KNITWEAR, JACKETS

SIZE	2XS	XS	S	M	L	XL	2XL	3XL	4XL	5XL	6XL
WOMEN'S CONVERSION	6	8	10	12	14	16	18	20	22	24	
TO FIT NECK (cm)	32/33	34/35	36/37	38/39	41/42	43/44	45/46	48/49	50/51	52/53	55/56
TO FIT CHEST (cm)	82	87	92	97	102	107	112	117	122	127	132
COLE WORKWEAR RECOMMENDS	80-85	85-92	90-94	95-99	100-104	105-109	110-114	115-119	120-124	124-129	130-134

## WOMEN'S SHIRT AND PANTS

SIZE	6	8	10	12	14	16	18	20	22	24	
TO FIT NECK (cm)	35	36	37	38	39	41	42	43	44	45	
TO FIT BUST (cm)	82	87	92	97	102	107	112	117	122	127	
TO FIT WAIST (cm)	67	75	77	82	87	92	97	102	107	112	
TO FIT HIPS (cm)	87	93	98	103	108	113	118	123	128	133	

# CARE AND MAINTENANCE



## FR GARMENTS CARE INSTRUCTIONS

FLAME RESISTANT GARMENTS REQUIRE SPECIAL LAUNDERING AND CARE TO OPTIMISE THEIR PERFORMANCE AND PROLONG THE PROTECTIVE QUALITY OF FABRICS.

WASH GARMENT SEPARATELY BEFORE FIRST USE. WASH GARMENT WITH SIMILAR COLOURS OR WITH OTHER FR GARMENTS



**WARM MACHINE WASH**  
DO NOT WASH OVER 60°C  
DO NOT USE SOAP



**DO NOT USE BLEACH OR WHITENERS**  
THIS INCLUDES SOAKERS  
DO NOT USE FABRIC SOFTENERS ON FR GARMENTS  
DO NOT USE ACID RINSE  
(e.g. vinegar, citric acid, acetic acid or any acid mostly used in commercial laundering)  
LAUNDRY ADDITIVES CAN COAT THE FIBER AND MASK THE FR PERFORMANCE OR SERVE AS FUEL IN CASE OF COMBUSTION. THEREFORE THEIR USE IS NOT RECOMMENDED.



**LINE DRY IN SHADE**  
AVOIDING PROLONG TIME IN SUNLIGHT REDUCES COLOUR FADING - SPECIALLY FOR HI VIS COLOURS



**DO NOT TUMBLE DRY OR OVER DRY**  
OTHERWISE IT WILL RESULT IN EXCESSIVE SHRINKAGE



**WARM IRON ON REVERSE SIDE**  
DO NOT IRON TAPE IF APPLICABLE



**DRY CLEANABLE**   
PERCHLOROETHYLENE OR PETROLEUM SOLVENTS MAY BE USED. ENSURE ALL SOLVENTS ARE COMPLETELY EVAPORATED OR DRIED. DRY CLEANING IS THE PREFER OPTION FOR HEAVY, OILY STAINS



### TIPS

If garments become contaminated with flammable substances, heavy soiled or with heavy grease stains. They should be removed immediately and replaced with clean FR apparel. Do not store garments in direct heat or sunlight. Check garments regularly for serviceability and replace garments if there are signs of fading, breakage or they are heavily soiled.



# TESTED TO INDUSTRY STANDARDS

## AUSTRALIAN STANDARDS



3M Scotchlite<sup>®</sup>  
Reflective Material



CLASS D/N  
DAY OR NIGHT USE



SUN  
PROTECTION



SUN  
PROTECTION



STATIC  
CONTROL

## GARMENT DESIGNED IN ACCORDANCE TO:

**AS/NZS 1906.4:2010:** High-visibility materials for safety garments. Retroreflective materials and devices for road traffic control purposes – High visibility materials for safety garments.

**AS/NZS 4602.1:2011:** High visibility Safety Garments. Part 1 - Garments for high risk applications.

**ENA NENS 09-2014:** National Guideline for the Selection, Use and Maintenance of Personal Protection Equipment for Electrical Arc Hazards (Energy Networks Australia) - Design details.

## FABRIC TESTED TO:

**AS/NZS 4399:2017:** Sun protective clothing evaluation and classification.

**AS/NZS 1020:1995:** The control of undesirable static Electricity.

## INTERNATIONAL STANDARDS



## WITH CORRESPONDING TESTING METHODS:

**NFPA70E:** Standard for Electrical Safety in the Workplace<sup>®</sup>

**ASTM F1506:** Standard performance specification for flame resistant and arc rated textile materials for wearing apparel for use by electrical workers exposed to momentary electric arc and related thermal hazards.

ASTM F1959 - Arc Thermal Performance Value Rating.

**NFPA2112:** Standard on Flame-Resistant Clothing for Protection of Industrial Personnel Against Short-Duration Thermal Exposures from Fire.

ASTM D6413 - Flame Resistance - Vertical Flammability test method.

**ISO 11612:2015:** Protective clothing -Clothing to protect against heat and flame - Minimum performance requirements.


ISO 15025:2000 - Method of test for limited flame spread.

**EN 1149-5:2018 / EN1149-3:** Protective clothing. Electrostatic properties. Material performance and design requirements.









BOOMERANG




### **WE ARE CONSCIOUS**

of our footprint on the environment. The wood pulp fibre in our garments is sourced from plantation grown and managed forestry, rather than ancient forests.

We are also committed to the social and environmental sustainability of our manufacturing partners. Our approach to ethical sourcing is one of complete transparency and continuous improvement. Our supply and distribution partners also hold these same values.





---

BOOMERANG® WORKWEAR IS  
DISTRIBUTED BY BUNZL SAFETY  
(A SUPPLY NATION MEMBER)

FOR FURTHER INFORMATION  
OR QUERIES, PLEASE CONTACT:

**HEAD OFFICE**

**1800 967 573**

**[bunzlsafety.com.au](http://bunzlsafety.com.au)**

---